

MS4 Annual Report/Interim Progress Certification—2026

version 1.0

(Submission #: HQJ-R8B4-GWCKX, version 1)

Details

Originally Started By William Emblidge

Alternate Identifier NYR20A249

Submission ID HQJ-R8B4-GWCKX

Status Draft

Form Input

MS4 Operator Information

Permit ID #:
NYR20A249

Municipality Name or Legal Entity Name
Town of Victor

Report Preparer

Report Preparer Title	First and Last Name	Phone	Email
Stormwater Program Coordinator	William Emblidge	(585) 742-5035	wemblidge@townofvictoryny.gov

Part IV

Was the information in this section completed as part of a coalition/group?
Yes

MS4 General Permit Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

SWMP Plan

Annually: Have the alternative implementation agreements in the SWMP Plan been updated? (Part IV.A.1.e.)

Yes

Annually: Has the SWMP been updated? (Part IV.B.3.)

Yes

Mapping

Annually: Has the comprehensive system mapping been updated? (Part IV.D.)

Yes

What tools are used to satisfy the comprehensive system mapping requirements? (e.g. paper maps, GIS, web mappers, etc.)

Paper maps, GIS, and Town Resource Web Map.

Within three (3) years of the EDC: Has Phase I of the comprehensive mapping been completed? (Part IV.D.2.a.)

No

Please clarify the reason for selecting "No" for this item.

Item is not due this year. We are making annual updates to our mapping, currently Monitoring Locations, Storm Sewersheds, Publicly Owned SMP's, and Municipal Facilities with Prioritization have been mapped.

Within five (5) years of the EDC: Has Phase II of the comprehensive mapping been completed? (Part IV.D.2.b.)

No

Please clarify the reason for selecting "No" for this item.

Item is not due this year. We are making annual updates to our mapping, Stormwater Infrastructure and Private SMP's are mapped.

Legal Authority

Within three (3) years of the EDC: For newly designated MS4 Operators, has adequate legal authority been developed and implemented? (Part IV.E.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The Town of Victor is continuing coverage and is not a newly designated MS4 operator, adequate legal authority is being maintained.

Enforcement Tracking

This reporting year, how many enforcement actions were undertaken for illicit discharges (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

3.0

This reporting year, how many enforcement actions were undertaken for construction sites (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

25.0

This reporting year, how many enforcement actions were undertaken for post-construction SMPs (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

0.0

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part V

In Year 5: Has the SWMP Plan been evaluated? (Part V.C.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. The Town of Victor's SWMP is regularly evaluated and updated throughout the year.

Part VI

Which MCMs in this Part were completed as a coalition/group, if any?

MCM 1

MCM 2

Minimum Control Measure 1

Within three (3) years of the EDC: Have the focus areas been identified? (Part VI.A.1.a.)

Yes

What focus areas were identified?

Sewersheds for impaired waters listed in Appendix C (subject to Part VIII. requirements; mapped in accordance with Part IV.D.1.c. for MS4 Operators continuing coverage and Part IV.D.2.a.ii. for newly designated MS4 Operators)

Areas with construction activities

Areas with on-site wastewater systems (subject to Part VIII. or Part IX. requirements)

Residential, commercial, and industrial areas (mapped in accordance with Part IV.D.1.e.iii.)

Stormwater hotspots

Areas with illicit discharges

Within three (3) years of the EDC: Have the target audience(s) and associated pollutant generating activities been identified? (Part VI.A.1.b.)

Yes

What target audience(s) and associated pollutant generating activities were identified?

Residents

Institutions: Managers, staff, and students

Industrial: Owners and staff

Commercial: Business owners and staff

Construction: Developers, contractors, and design professionals

MS4 Operator's municipal staff

Within three (3) years of the EDC: Have the education and outreach topics been identified and how the education and outreach topics will reduce the potential for pollutants explained? (Part VI.A.1.c.)

Yes

What education and outreach topics were identified?

Pet waste, lawn maintenance, E&SC, fertilizer/pesticide use, pool water discharge, vehicle fluid waste, water conservation, filtration of polluted water, use of detergents, residential waste collection, commercial waste areas, parking lot surfaces, septic system maintenance, SWMF maintenance, grease storage, spill prevention and cleanup, IDDE, general stormwater management, BMPs to reduce phosphorous in waterbodies, BMPs to reduce silt/sediment in waterbodies.

In Year 5: Has the method(s) used for distribution of educational messages been identified? (Part VI.A.2.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. Brochures, educational outreach opportunities, public displays currently used.

In Year 5: Has one educational message been delivered to each target audience(s) for each focus area based on the education and outreach topic(s)? (Part VI.A.2.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Have target audiences, focus areas, and/or education and outreach topics been updated? (Part VI.A.2.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 2

Annually: Has an opportunity for public involvement/participation in the development and implementation of the SWMP been provided? (Part VI.B.1.a.)

Yes

What was the opportunity for public involvement/participation in the SWMP?

Public hearings or meetings

Coordination with other pre-existing public involvement/participation opportunities

Annually: Has the public been informed about the opportunity for their involvement in the development and implementation of the SWMP and how they can get involved? (Part VI.B.1.b.)

Yes

What is the method(s) used for distribution to inform the public of the opportunity for involvement?

Public notice

Printed materials (e.g., mail inserts, brochures and newsletters)

Electronic materials (e.g., websites, email listservs)

Workshops or focus groups

Displays in public areas (e.g., town halls, library, parks)

Social Media (e.g., Facebook, Twitter, blogs)

Annually: Has an opportunity to review and comment on the publicly available SWMP Plan been provided? (Part VI.B.2.a.)

Yes

Annually: Has an opportunity to review and comment on the draft annual report been provided? (Part VI.B.2.b.i.)

Yes

What opportunity for review and comment on the draft annual report has been provided?

Presentation of the draft Annual Report

Posting of draft Annual Report on a public website

Annually: Have the comments received on the SWMP Plan been summarized? (Part VI.B.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

No comments have been received.

Annually: Have the comments received on the draft annual report been summarized? (Part VI.B.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

No comments have been received.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 3

Within three (3) years of the EDC: Has an inventory of monitoring locations been developed? (Part VI.C.1.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. Outfalls have been mapped, interconnections and municipal facility intraconnections have not been separated yet.

In Year 4 and Year 5: Has the monitoring location inventory been updated? (Part VI.C.1.c.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. Monitoring locations are updated as new infrastructure is built or new outfalls are discovered.

Within three (3) years of the EDC: Have monitoring locations been prioritized? (Part VI.C.1.d.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

In Year 4 and Year 5: Has the monitoring location prioritization been updated? (Part VI.C.1.d.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has a monitoring locations inspection and sampling program been developed and implemented? (Part VI.C.1.e.)

Yes

In Year 5: Every five (5) years following the most recent inspection, have all the monitoring locations been inspected? (Part VI.C.1.e.i.a))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. Approximately 20% of monitoring locations are inspected each year.

In Year 5: Has training on the MS4 Operator's monitoring locations inspection and sampling procedures been provided? (Part VI.C.1.e.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. Annual IDDE training is completed with assistance from the Ontario Soil and Water Conservation District.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received monitoring locations inspection and sampling training been updated? (Part VI.C.1.e.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year. This information is updated annually as trainings are completed.

In Year 3, Year 4, and Year 5: Have the monitoring locations inspection and sampling procedures been updated? (Part VI.C.1.e.iv.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has an illicit discharge track down program been developed and implemented? (Part VI.C.2.)

Yes

In Year 5: Has training on the MS4 Operator's illicit discharge track down procedures prior to conducting illicit discharge track down been provided? (Part VI.C.2.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Annual IDDE training is completed with assistance from the Ontario Soil and Water Conservation District.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge track down procedures training been updated? (Part VI.C.2.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. This information is updated annually as trainings are completed.

In Year 3, Year 4, and Year 5: Have the illicit discharge track down procedures been reviewed and updated? (Part VI.C.2.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Within two (2) years of the EDC: Has an illicit discharge elimination program been developed and implemented? (Part VI.C.3.)

Yes

In Year 5: Has training on the MS4 Operator's illicit discharge elimination procedures prior to conducting illicit discharge elimination been provided? (Part VI.C.3.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Annual IDDE training is completed with assistance from the Ontario Soil and Water Conservation District.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge elimination procedures training been updated? (Part VI.C.3.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. This information is updated annually as trainings are completed.

In Year 3, Year 4, and Year 5: Have the illicit discharge elimination procedures been reviewed and updated? (Part VI.C.3.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item is not due this year.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 4

Within one (1) year of the EDC: Has a construction oversight program been developed and implemented? (Part VI.D.3)

Yes

In Year 5: Has training on the MS4 Operator's construction oversight procedures prior to conducting construction oversight been provided? (Part VI.D.3.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Annual NYSDEC Endorsed 4hr E&SC training is completed for employees that need their three year refresher.

In Year 2, Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received construction oversight procedures training been updated? (Part VI.D.3.c.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Have the construction oversight procedures been reviewed and updated? (Part VI.D.3.e.)

Yes

Annually: Has the inventory of construction sites been updated? (Part VI.D.4.b.)

Yes

How many construction sites are on the inventory?

26

Within one (1) year of the EDC: Have construction sites been prioritized? (Part VI.D.5.a.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Has the construction site prioritization been updated? (Part VI.D.5.c.)

Yes

How many high priority construction sites are on the inventory?

13

Within three (3) years of the EDC: Have the individuals responsible for reviewing SWPPPs for acceptance received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting SWPPP reviews and/or approvals? (Part VI.D.6.a.i.)

Yes

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for reviewing SWPPPs been updated? (Part VI.D.6.d.)

Yes

Are pre-construction meetings conducted prior to the commencement of construction activity? (Part VI.D.7.)

Yes

Within three (3) years of the EDC: Have the individuals responsible for construction site inspections received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting construction site inspections? (Part VI.D.8.a.i.)

Yes

Annually: Have all sites with construction activity identified in the inventory been inspected during active construction after the pre-construction meeting, or sooner if deficiencies are noted that require attention? (Part VI.D.8.c.)

Yes

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for construction site inspections been updated? (Part VI.D.8.d.)

Yes

Are final construction site inspections conducted? (Part VI.D.9.)

Yes

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 5

Annually: Has the inventory of post-construction SMPs been updated? (Part VI.E.2.c.)

Yes

How many post-construction SMPs are on the inventory?

226

Within five (5) years of the EDC: Have the required components been included in the post-construction SMP inventory? (Part VI.E.2.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Partially complete, updated annually.

Within one (1) year of the EDC: Has a post-construction SMP inspection and maintenance program been developed and implemented? (Part VI.E.4.)

Yes

Has each post-construction SMP identified in the inventory been inspected at the required frequency? (Part VI.E.4.a.)

Yes

In Year 5: Has training on the MS4 Operator's post-construction SMP inspection and maintenance procedures prior to conducting post-construction SMP inspection and maintenance been provided? (Part VI.E.4.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Annually: Have names, titles, and contact information for the individuals who have received post-construction SMP inspection and maintenance procedures training updated? (Part VI.E.4.c.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Have the post-construction SMP inspection and maintenance procedures been reviewed and updated? (Part VI.E.4.d.)

Yes

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Minimum Control Measure 6

Within three (3) years of the EDC: Have best management practices (BMPs) been incorporated into the municipal facility program and municipal operations program? (Part VI.F.1.)

Yes

Within three (3) years of the EDC: Has a municipal facility program been developed and implemented? (Part VI.F.2.a.)

Yes

Which BMPs have been incorporated into the municipal facility program?

Follow a Preventive Maintenance Program
 Spill Prevention and Response Procedures
 Salt Storage Piles or Pile Containing Salt
 Minimize Exposure
 Waste, Garbage, and Floatable Debris

In Year 5: Has training on the MS4 Operator's municipal facility procedures prior to conducting municipal facility procedures been provided? (Part VI.F.2.a.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Annual P2 and Good Housekeeping training is completed with the assistance of Ontario Soil and Water Conservation District.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal facility procedures training been updated? (Part VI.F.2.a.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. This information is updated annually as training is completed.

In Year 4 and Year 5: Have the municipal facility procedures been updated? (Part VI.F.2.a.iv.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Within two (2) years of the EDC: Has a municipal facility inventory been developed? (Part VI.F.2.b.i.)

Yes

How many municipal facilities are on the inventory?

5

In Year 3, Year 4, and Year 5: Has the municipal facility inventory been updated? (Part VI.F.2.b.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Updated as needed.

Within three (3) years of the EDC: Have the municipal facilities been prioritized? (Part VI.F.2.c.i.)

Yes

How many high priority municipal facilities are on the inventory?

1

In Year 4 and Year 5: Has the municipal facility prioritization been updated? (Part VI.F.2.c.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. This will be updated as needed.

Within five (5) years of the EDC: Has a municipal facility specific SWPPP for each high priority municipal facility been developed? (Part VI.F.2.d.i.)

Yes

In Year 5: Has all wet weather visual monitoring of the monitoring locations at all high priority municipal facilities been conducted? (Part VI.F.2.d.ii.a))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

In Year 5: Has a comprehensive site assessment for each high priority municipal facility been completed? (Part VI.F.2.d.ii.c))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

In Year 5: Has a comprehensive site assessment for each low priority municipal facility been completed? (Part VI.F.2.e.ii.c))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Within three (3) years of the EDC: Has a municipal operations program been developed? (Part VI.F.3.a.)

Yes

Which BMPs have been incorporated into the municipal operations program?

Minimize Exposure

Follow a Preventive Maintenance Program

Salt Storage Piles or Pile Containing Salt

Waste, Garbage, and Floatable Debris

Spill Prevention and Response Procedures

In Year 5: Has training on the MS4 Operator's municipal operations procedures prior to conducting municipal operations been provided? (Part VI.F.3.a.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Annual P2 and Good Housekeeping training is completed annually with the assistance of Ontario Soil and Water Conservation District.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal operations procedures training been updated? (Part VI.F.3.a.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. This information is updated annually as training is completed.

In Year 4 and Year 5: Have the municipal operations procedures been reviewed and updated? (Part VI.F.3.a.iv.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Within three (3) years of the EDC: Have catch basins in need of inspection been identified? (Part VI.F.3.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Catch basins are inspected and maintained annually.

Within three (3) years of the EDC: Has catch basin inspection information been inventoried? (Part VI.F.3.c.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Inspection information is tracked annually.

In Year 5: Have all streets, bridges, parking lots, and right of ways been swept? (Part VI.F.3.d.i.a))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Streets, bridges, parking lots, and right of ways are swept annually.

Annually: Have all streets in business districts and commercial areas been swept? (Part VI.F.3.d.i.b))

Yes

Within five (5) years of the EDC: Have roads, bridges, parking lots, and right of way maintenance specific BMPs been implemented? (Part VI.F.3.d.ii.)

Yes

Within five (5) years of the EDC: Have winter road maintenance specific BMPs been implemented? (Part VI.F.3.d.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year. Road salt applicators are calibrated routinely.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part VIII

Does the MS4 Operator discharge to an impaired water listed in Appendix C of GP-0-24-001?

Yes

For which pollutant(s) is the waterbody impaired? Select the pollutants for all the impaired waters listed in Appendix C of GP-0-24-001 to which the MS4 Operator discharges.

Phosphorus
Silt/Sediment

Which requirements in this Part were completed as a coalition/group, if any?

MCM 1

Phosphorus

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.a.)

Yes

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include the listed items for each MS4 outfall discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a phosphorus impaired water listed in Appendix C? (Part VIII.A.1.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Minimum Control Measure 1

Twice a year, in Year 4 and Year 5: Have educational messages with information specific to phosphorus been provided? (Part VIII.A.2.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.A.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.A.4.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Minimum Control Measure 4

How many high priority construction sites discharge to the phosphorus impaired water(s)?

9

Have high priority construction sites that discharge to the phosphorus impaired water(s) been inspected by the MS4 Operator at the required frequency? (Part VIII.A.5.)

Yes

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to phosphorus impaired segments been swept? (Part VIII.A.7.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Silt/Sediment

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include MS4 infrastructure and sewershed information for each MS4 outfall and ADA MS4 outfall discharging to a silt/sediment impaired water listed in Appendix C? (Part VIII.B.1.a.)

Yes

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include facilities with SPDES permit coverage under the MSGP with stormwater discharges applicable under Sector C, E, L, or J with facility contact? (Part VIII.B.1.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

Item not due this year.

Within three (3) years of the EDC: Has the comprehensive system mapping been updated, in a geographic information system (GIS), to include ADA MS4 outfalls discharging to a silt/sediment impaired water listed in Appendix C? (Part VIII.B.1.c.)
N/A

Please clarify the reason for selecting "No" or "N/A" for this item.
Item not due this year.

Minimum Control Measure 1

In Year 4 and Year 5: Have individuals involved in construction activity within the sewershed boundary been educated on the use of post-construction SMPs that are intended to collect and separate silt and sediment debris from stormwater before discharging to waters of the State? (Part VIII.B.2.b.)
N/A

Please clarify the reason for selecting "No" or "N/A" for this item.
Item not due this year.

Minimum Control Measure 3

Within five (5) years of the EDC: Has the number of each item listed in Part VIII.B.1.b. been included on the MS4 outfall inventory for each associated MS4 outfall? (Part VIII.B.4.)
N/A

Please clarify the reason for selecting "No" or "N/A" for this item.
Item not due this year.

Minimum Control Measure 4

How many high priority construction sites discharge to the silt/sediment impaired water(s)?
9

Have high priority construction sites that discharge to the silt/sediment impaired water(s) been inspected by the MS4 Operator at the required frequency? (Part VIII.B.5.)
Yes

Minimum Control Measure 6

In Year 4 and Year 5: Have all streets located in sewersheds discharging to silt/sediment impaired segments been swept? (Part VIII.B.7.a.)
N/A

Please clarify the reason for selecting "No" or "N/A" for this item.
Item not due this year.

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Part IX

Does the MS4 Operator discharge to a TMDL listed in Table 3 of GP-0-24-001?
No

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Interim Progress Status

Interim Progress Resources

Use the following webpages for more information on the permit and fact sheet:

[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

Have you reviewed compliance items due within three years of EDC?
Yes

Have you reviewed compliance items due within four years of EDC?
Yes

Have you reviewed compliance items due within five years of EDC?
Yes

Have you reviewed compliance items which need to be completed routinely (annually, every five (5) years, etc.)?
Yes

Please enter any comments related to the questions in this section.

NONE PROVIDED

Certification

The ranking elected official or Principal Executive Officer for the MS4 Operator will be signing the form.

NONE PROVIDED